shop-vac®

PREMIUM SERIES

shop-vac® QUIET® Series

The economical choice to give you the power to take the work out of cleaning.

shop-vac® QUIET PLUS® Series

2030500
5 Gallons*
2.25 Peak HP†

Inlet accepts 1¼" and 2½" diameter hoses

Powerful rear blower

Convenient on/off switch

5980704
6 Gallons*
2.75 Peak HP†

Inlet accepts 1¼" and 2½" diameter hoses

5981000
10 Gallons*
3.5 Peak HP†

Powerful rear blower

Convenient on/off switch

TYPICAL CHARACTERISTICS**

Catalog #	2030500
Capacity	5 Gallons*
Peak HP	2.25†
UPC	0 26282 20305 2
Carton Dimensions	13¾" x 13¾" x 17½"
Cube	1.91
Shipping Weight	12 lbs.
Cubic Feet per Minute	100‡
Sealed Pressure (inches of water)	50‡
Air Watts	145‡
Electric Rating	120V~ 60Hz 7.9A
Cord	6 ft.

Accessories: 7' x 1¼" hose, (3) extension wands, 10" wet/dry nozzle, foam sleeve *(90585, Type R)* and filter disc with filter ring *(90107, Type S)*.

Catalog #	5980704
Capacity	6 Gallons*
Peak HP	2.75†
UPC	0 26282 04008 4
Carton Dimensions	13¾" x 13¾" x 22¼"
Cube	2.43
Shipping Weight	13 lbs.
Cubic Feet per Minute	135‡
Sealed Pressure (inches of water)	56‡
Air Watts	230‡
Electric Rating	120V~ 60Hz 8.2A
Cord	6 ft.

Accessories: 7' x 1¼" hose, (3) extension wands,10" wet/dry nozzle, gulper nozzle,crevice tool, round brush, accessory holder *(not shown)*,foam sleeve *(90585, Type R)*, filter disc with filter ring *(90107, Type S)* and disposable filter bag *(90661, Type E)*.

Catalog #	5981000
Capacity	10 Gallons*
Peak HP	3.5†
UPC	0 26282 59810 3
Carton Dimensions	16⅜" x 16⅜" x 25½"
Cube	3.96
Shipping Weight	17 lbs.
Cubic Feet per Minute	145‡
Sealed Pressure (inches of water)	58‡
Air Watts	255‡
Electric Rating	120V~ 60Hz 8.5A
Cord	6 ft.

Accessories: 7' x 1¼" hose, (3) 1¼" extension wands,10" wet/dry nozzle, crevice tool, gulper nozzle, accessory holder *(not shown)*, foam sleeve *(90585, Type R)*, filter disc with filter ring *(90107, Type S)* and disposable filter bag *(90662, Type F)*.

**Specifications subject to change without notice.

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡Performance readings listed are done by Shop-Vac® lab method, not ASTM test method.

WET

YARD DEBRIS

shop•vac®

QSP® QUIET DELUXE® Series

3

Both vacs backed by a three year warranty

5983100
8 Gallons*
3.5 Peak HP†

5983300
16 Gallons*
6.5 Peak HP†

Inlet accepts 1¼" and 2½" diameter hoses

Powerful rear blower

Convenient tool storage
(not standard on all models)

TYPICAL CHARACTERISTICS**

Catalog #	**5983100**
Capacity	**8 Gallons***
Peak HP	**3.5†**
UPC	**0 26282 59831 8**
Carton Dimensions	**16 3/8" x 16 3/8" x 22 1/4"**
Cube	**3.45**
Shipping Weight	**17 lbs.**
Cubic Feet per Minute	**145‡**
Sealed Pressure (inches of water)	**58‡**
Air Watts	**255‡**
Electric Rating	**120V~ 60Hz 8.5A**
Cord	**6 ft.**

Accessories: 7′ x 1¼" hose, (3) extension wands, 10" wet/dry nozzle, accessory holder, ProLong® cartridge filter with retainer *(90304, Type U)* and disposable filter bag *(90661, Type E)*.

Catalog #	**5983300**
Capacity	**16 Gallons***
Peak HP	**6.5†**
UPC	**0 26282 59833 2**
Carton Dimensions	**19 3/4" x 19 3/4" x 24 1/4"**
Cube	**5.47**
Shipping Weight	**27 lbs.**
Cubic Feet per Minute	**210‡**
Sealed Pressure (inches of water)	**60‡**
Air Watts	**390‡**
Electric Rating	**120V~ 60Hz 12A**
Cord	**12 ft.**

Accessories: 8′ x 2½" hose, (2) 2½" extension wands, crevice tool, 14" wet/dry nozzle, 14" squeegee shoe, 14" brush shoe, accessory holder, ProLong® cartridge filter with retainer *(90304, Type U)* and disposable filter bag *(90663, Type G)*.

**Specifications subject to change without notice.

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡Performance readings listed are done by Shop-Vac® lab method, not ASTM test method.

STAINLESS STEEL VACS


WET PICK UP


DRY PICK UP

Both vacs backed by a three year warranty

5986100
8 Gallons*
5.5 Peak HP†

5986200
12 Gallons*
6.0 Peak HP†

Powerful rear blower port

Convenient top carrying handle

Dolly system for easy mobility

TYPICAL CHARACTERISTICS**

Catalog #	5986100
Capacity	8 Gallons*
Peak HP	5.5†
UPC	0 26282 59861 5
Carton Dimensions	16 3/8" x 16 3/8" x 21 1/4"
Cube	3.3
Shipping Weight	20 lbs.
Cubic Feet per Minute	195‡
Sealed Pressure (inches of water)	59‡
Air Watts	345‡
Electric Rating	120V~ 60Hz 11.5A
Cord	12 ft.

Accessories: 7' x 1¼" friction hose, (3) 1¼" extension wands, 10" wet/dry nozzle, crevice tool, gulper nozzle, accessory holder *(not shown)*, ProLong® cartridge filter with retainer ***(90304, Type U)*** and disposable filter bag ***(90661, Type E)***.

Catalog #	5986200
Capacity	12 Gallons*
Peak HP	6.0†
UPC	0 26282 59862 2
Carton Dimensions	16 3/8" x 16 3/8" x 27 1/4"
Cube	4.23
Shipping Weight	24 lbs.
Cubic Feet per Minute	205‡
Sealed Pressure (inches of water)	60‡
Air Watts	370‡
Electric Rating	120V~ 60Hz 11.8A
Cord	18 ft.

Accessories: 7' x 1¼" friction hose, (3) 1¼" extension wands, 10" wet/dry nozzle, crevice tool, gulper nozzle, accessory holder (not shown), ProLong® cartridge filter with retainer ***(90304, Type U)*** and disposable filter bag ***(90662, Type F)***.

**Specifications subject to change without notice.

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡Performance readings listed are done by Shop-Vac® lab method, not ASTM test method.

HangOn® by shop-vac®

shop-vac® BRAND WALL MOUNT™

The HangOn® vac is lightweight and portable. It can be used for quick wet and dry pick up jobs in your house, garage, workshop or vehicles. The wall mount bracket makes for easy, compact storage, while the built in tool holder keeps your tools organized.

2 Backed by a two year warranty

2030100
1.5 Gallons*
2.0 Peak HP†

3 Backed by a three year warranty

2036000
2.5 Gallons*
2.5 Peak HP†

Convenient wall mounting bracket

Quick kitchen spills

Lightweight and portable

Centralized cleaning convenience for the garage, workshop, hobby area, laundry room or anywhere a hands free vacuum center is desirable. Complete with wall mount bracket and 18'(5.5 m) extra long reach hose for wide area cleaning. Space saving "*WALL MOUNT*" design provides a cleaning solution that's there when you need it!

3 Backed by a three year warranty

3940100
3.5 Gallons*
3.0 Peak HP†

Wall mounting bracket

Vehicle interiors

Wet and dry messes

TYPICAL CHARACTERISTICS**

Catalog #	2030100
Capacity	1.5 Gallons*
Peak HP	2.0†
UPC	0 26282 20301 4
Carton Dimensions	11¾" x 10¾" x 11¾"
Cube	.86
Shipping Weight	8 lbs.
Cubic Feet per Minute	59‡
Sealed Pressure (inches of water)	48‡
Air Watts	140‡
Electric Rating	120V~ 60Hz 7.8A
Cord	6 ft.

Accessories: 4' x 1¼" hose, gulper nozzle, crevice tool, wall mount bracket, foam sleeve *(90585, Type R)* and filter disc with filter ring *(90107, Type S)*.

Catalog #	2036000
Capacity	2.5 Gallons*
Peak HP	2.5†
UPC	0 26282 20360 1
Carton Dimensions	12½" x 11¼" x 13"
Cube	1.06
Shipping Weight	9 lbs.
Cubic Feet per Minute	100‡
Sealed Pressure (inches of water)	52‡
Air Watts	185‡
Electric Rating	120V~ 60Hz 8A
Cord	6 ft.

Accessories: 4' x 1¼" hose, gulper nozzle, crevice tool, round brush, wall mount bracket, foam sleeve *(90585, Type R)* and filter disc with filter ring *(90107, Type S)*

Catalog #	3940100
Capacity	3.5 Gallons*
Peak HP	3.0†
UPC	0 26282 39401 9
Carton Dimensions	12⅞" x 12⅞" x 26¼"
Cube	2.5
Shipping Weight	15 lbs.
Cubic Feet per Minute	130‡
Sealed Pressure (inches of water)	52‡
Air Watts	270‡
Electric Rating	120V~ 60Hz 7.2A
Cord	6 ft.

Accessories: 18' x 1¼" LockOn® hose, (3) extension wands, 10" wet/dry nozzle, gulper nozzle, crevice tool, round brush, wall mount bracket, tool storage bag with wall hook, cartridge filter with retainer *(90398, Type AA)* and disposable filter bag *(91931, Type N)*.

**Specifications subject to change without notice.

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡Performance readings listed are done by Shop-Vac® lab method, not ASTM test method.

shop-vac® All Around® EZ®

Design for household use...
"All Around" the house.

Convenient wall mounting bracket

Quick kitchen spills

Lightweight and portable

shop-vac® All Around® EZ®

The power of a full sized vacuum with the convenience of a hand held model.

Convenient wall mounting bracket

Quick kitchen spills

Lightweight and portable

TYPICAL CHARACTERISTICS**

Catalog #	5895100
Capacity	1.5 Gallons*
Peak HP	2.0†
UPC	0 26282 58951 4
Carton Dimensions	12 1/4" x 9 5/8" x 17 1/4"
Cube	1.2
Shipping Weight	11 lbs.
Cubic Feet per Minute	120‡
Sealed Pressure (inches of water)	52‡
Air Watts	195‡
Electric Rating	120V~ 60Hz 7.4A
Cord	18 ft.

Accessories: 7' x 1¼" hose, (2) extension wands, bare/carpeted floor nozzle, gulper nozzle, crevice tool, round brush, wall bracket, foam sleeve *(90585, Type R)* and disposable filter bag *(90667, Type A)*.

Catalog #	5895200
Capacity	2.5 Gallons*
Peak HP	2.5†
UPC	0 26282 58952 1
Carton Dimensions	12 3/8" x 11 5/8" x 17"
Cube	1.4
Shipping Weight	13 lbs.
Cubic Feet per Minute	130‡
Sealed Pressure (inches of water)	56‡
Air Watts	220‡
Electric Rating	120V~ 60Hz 8A
Cord	18 ft.

Accessories: 7' x 1¼" hose, (2) extension wands, bare/carpeted floor nozzle, gulper nozzle, crevice tool, round brush, wall bracket, foam sleeve *(90585, Type R)* and disposable filter bag *(90668, Type B)*.

**Specifications subject to change without notice.

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡Performance readings listed are done by Shop-Vac® lab method, not ASTM test method.

shop-vac® All Around® EZ®

Designed for household use...
"All Around" the house.

All Around® PLUS By shop-vac®

3 Backed by a three year warranty

5895400
4 Gallons*
4.5 Peak HP†

3 Backed by a three year warranty

5870400
4 Gallons*
4.5 Peak HP†

Convenient wall mounting bracket

Quick kitchen spills

Lightweight and portable

Convenient top carry handle

Dry pick up

Wet pick up

TYPICAL CHARACTERISTICS**

Catalog #	5895400
Capacity	4 Gallons*
Peak HP	4.5†
UPC	0 26282 58954 5
Carton Dimensions	13¼" x 12¼" x 20½"
Cube	1.9
Shipping Weight	15 lbs.
Cubic Feet per Minute	170‡
Sealed Pressure (inches of water)	60‡
Air Watts	290‡
Electric Rating	120V~ 60Hz 9A
Cord	18 ft.

Accessories: 7′ x 1¼" hose, (2) extension wands, bare/carpeted floor nozzle, gulper nozzle, crevice tool, round brush, wall bracket, foam sleeve *(90585, Type R)* and disposable filter bag *(90660, Type LL)*.

Catalog #	5870400
Capacity	4 Gallons*
Peak HP	4.5†
UPC	0 26282 58704 6
Carton Dimensions	20½" x 12¾" x 16"
Cube	2.4
Shipping Weight	17 lbs.
Cubic Feet per Minute	175‡
Sealed Pressure (inches of water)	60‡
Air Watts	320‡
Electric Rating	120V~ 60Hz 9A
Cord	18 ft.

Accessories: 8′ x 1¼" LockOn® hose, (2) 1¼" extension wands, bare/carpeted floor nozzle, 10" wet/dry nozzle, round brush, crevice tool, gulper nozzle, accessory basket, cartridge filter with retainer *(90398, Type AA)* and disposable filter bag *(91964, Type D)*

**Specifications subject to change without notice.

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡Performance readings listed are done by Shop-Vac® lab method, not ASTM test method.

shop-vac®
PUMP VAC

AUTO CLEAN UP

WET PICK UP

The Pump Vac gives you a wet/dry vac with a built in water pump. ** The built in water pump allows you to remove liquids from the vacuum's tank using a standard garden hose§.

**Do not leave vacuum unattended when it is plugged in and/or operating.

5821200
12 Gallons*
5.0 Peak HP†

3
Both vacs backed by a three year warranty

5821600
16 Gallons*
6.0 Peak HP†

HOOK IT UP §

PICK IT UP

PUMP IT OUT §

TYPICAL CHARACTERISTICS**

Catalog #	5821200
Capacity	12 Gallons*
Peak HP	5.0†
UPC	0 26282 58212 6
Carton Dimensions	18 1/4" x 18 1/4" x 24 1/2"
Cube	4.72
Shipping Weight	25 lbs.
Cubic Feet per Minute	175‡
Sealed Pressure (inches of water)	56‡
Air Watts	295‡
Electric Rating	120V~ 60Hz 11.3A
Cord	12 ft.

Accessories: 8' x 2½" LockOn® hose, (2) 2½" extension wands, 14" wet/dry nozzle, elbow grip, accessory holder, hose holder, ProLong® cartridge filter with retainer *(90304, Type U)*, foam sleeve *(90585, Type R)* and disposable filter bag *(90662, Type F)*.

Catalog #	5821600
Capacity	16 Gallons*
Peak HP	6.0†
UPC	0 26282 58216 4
Carton Dimensions	19 1/4" x 19 3/4" x 24"
Cube	5.53
Shipping Weight	35 lbs.
Cubic Feet per Minute	175‡
Sealed Pressure (inches of water)	55‡
Air Watts	330‡
Electric Rating	120V~ 60Hz 11.8A
Cord	12 ft.

Accessories: 8' x 2½" LockOn® hose, (2) 2½" extension wands, 14" wet/dry nozzle, elbow grip, accessory holder, hose holder, ProLong® cartridge filter with retainer *(90304, Type U)*, foam sleeve *(90585, Type R)* and disposable filter bag *(90663, Type G)*.

§Garden hose not included

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡Performance readings listed are done by Shop-Vac® lab method, not ASTM test method.

DRY PICK UP

WET PICK UP

shop-vac®

ULTRA BLOWER VAC

Wet/dry vac with

DETACHABLE BLOWER

These Blower Vacs give you a wet/dry vacuum that can also be converted into a handheld, detachable blower.

9630704
6 Gallons*
2.5 Peak HP†

3
Both vacs backed by a three year warranty

9631104
10 Gallons*
4.5 Peak HP†

Inlet accepts 1¼" and 2½" diameter hoses

Detachable hand blower

Lawn clean up

TYPICAL CHARACTERISTICS**

Catalog #	9630704
Capacity	6 Gallons*
Peak HP	2.5†
UPC	0 26282 96307 9
Carton Dimensions	16 1/8" x 16 1/8" x 21"
Cube	3.2
Shipping Weight	17 lbs.
Cubic Feet per Minute	110‡
Sealed Pressure (inches of water)	50‡
Air Watts	200‡
Electric Rating	120V~ 60Hz 7.8A
Cord	6 ft.

Accessories: 7' x 1¼" hose, (3) 1¼" extension wands, 10" x 1¼" wet/dry nozzle, 1¼" gulper nozzle, 1¼" crevice tool, 1¼" round brush, 2½" extension wand, 2½" utility/blower nozzle, 2½" concentrator nozzle, foam sleeve *(90585, Type R)* and filter disc with filter ring *(90107, Type S)*.

Catalog #	9631104
Capacity	10 Gallons*
Peak HP	4.5†
UPC	0 26282 96311 6
Carton Dimensions	18 1/8" x 18 1/8" x 27"
Cube	5.1
Shipping Weight	28 lbs.
Cubic Feet per Minute	145‡
Sealed Pressure (inches of water)	55‡
Air Watts	305‡
Electric Rating	120V~ 60Hz 9.5A
Cord	18 ft.

Accessories: 7' x 1¼" LockOn® hose, (3) 1¼" extension wands, 10" x 1¼" wet/dry nozzle, 8' x 2½" LockOn® hose, 2½" extension wand, 8" x 2½" utility nozzle, 14" x 2½" wet/dry floor nozzle, 2½" utility/blower nozzle, 2½" crevice tool, accessory basket, ProLong® cartridge filter with retainer *(90304, Type U)* and foam sleeve *(90585, Type R)*.

**Specifications subject to change without notice.

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡Performance readings listed are done by Shop-Vac® lab method, not ASTM test method.

TOOL MATE® by shop-vac®

Wet/dry vacuum with removable toolbox

3 Backed by a three year warranty

3880210
2.5 Gallons*
3.5 Peak HP†

Wet (or dry) pick up

Take it to any job site



Toolbox storage tray with movable dividers

WALL MOUNTED GARAGE VAC™ by shop-vac®

Centralized cleaning convenience for garage, workshop, etc., that does not take up floor space.

3 Backed by a three year warranty

9253800
8 Gallons*
2.0 Peak HP†
(2-Stage Motor)

Two stage motor for higher suction pressure, longer motor life and quieter operation.

Vehicle cleanup

HEAVY DUTY shop-vac® HAWKEYE™

Heavy duty, portable wet/dry vacuum

4 Backed by a four year warranty

5872900
5 Gallons*
6.0 Peak HP†

Workshop

Wall mount

TYPICAL CHARACTERISTICS**

Catalog #	3880210
Capacity	2.5 Gallons*
Peak HP	3.5†
UPC	0 26282 10388 8
Carton Dimensions	29" x 14⅛" x 13⅝"
Cube	3.23
Shipping Weight	22 lbs.
Cubic Feet per Minute	135‡
Sealed Pressure (inches of water)	53‡
Air Watts	275‡
Electric Rating	120V~ 60Hz 7.5A
Cord	18 ft.

Accessories: 4' x 1¼" hose, gulper nozzle, crevice tool, round brush and cartridge filter *(90398, Type AA)*.

Catalog #	9253800
Capacity	8 Gallons*
Peak HP	2.0† (2-Stage Motor)
UPC	0 26282 92538 1
Carton Dimensions	14¾" x 14¾" x 32¾"
Cube	4.1
Shipping Weight	24 lbs.
Cubic Feet per Minute	100‡
Sealed Pressure (inches of water)	80‡
Air Watts	255‡
Electric Rating	120V~ 60Hz 7.4A
Cord	6 ft.

Accessories: 30' x 1¼" LockOn® hose, (2) extension wands, 12" wet/dry nozzle with brush and squeegee, crevice tool, claw nozzle, wall mount bracket, accessory holder, ProLong® cartridge filter with retainer *(90304, Type U)* and foam sleeve *(90585, Type R)*.

Catalog #	5872900
Capacity	5 Gallons*
Peak HP	6.0†
UPC	0 26282 58729 9
Carton Dimensions	20½" x 19¼" x 18"
Cube	4.1
Shipping Weight	22 lbs.
Cubic Feet per Minute	193‡
Sealed Pressure (inches of water)	60‡
Air Watts	350‡
Electric Rating	120V~ 60Hz 11.8A
Cord	20 ft.

Accessories: 12' x 1½" LockOn® hose, (2) 1½" extension wands, 12" nozzle with brush and squeegee, crevice tool, claw nozzle, elbow grip, adapter, wall mount bracket, cartridge filter with retainer *(90398, Type AA)* and disposable filter bag *(90661, Type E)*.

**Specifications subject to change without notice.

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡Performance readings listed are done by Shop-Vac® lab method, not ASTM test method.

shop-vac® ASH VACUUM

Specially designed for fireplace, wood/pellet stoves, coal stoves, BBQ grills and more...*

* cold ash only

2 Backed by a two year warranty

99.97% Efficient down to 0.3 microns HEPA Stops Ultra Fine Dust

4041200
Dry Vacuum

Cold furnace ashes

Outdoor grills

Wood stoves

Shop Sweep®

INDOOR / OUTDOOR VAC

Designed for cleaning small to medium areas indoors or outdoors.

- Works on hard surface areas, including low-nap commercial carpeting.
- Great for workshops, parking areas, lawns (turns lawn debris into mulch), lobbies, sidewalks, hallways and entry way.
- Ergonomically designed handle.
- Large diameter wheels for easy mobility; built in kickstand.
- Features 19" wide nozzle, two height settings and 8 gallon collection bag with zipper.

1 Backed by a one year warranty

4050010
Dry pick up only

Lawn cleanup

Sidewalk cleanup

TYPICAL CHARACTERISTICS**

Catalog #	4041200
Capacity	N/A
Peak HP	N/A
UPC	0 26282 40412 1
Carton Dimensions	12¾" x 12¾" x 18½"
Cube	1.74
Shipping Weight	13.1 lbs.
Cubic Feet per Minute	80‡
Sealed Pressure (inches of water)	40‡
Air Watts	130‡
Electric Rating	120V~ 60Hz 6.3A
Cord	6 ft.

Accessories: 4' x 1½" Lock-On® hose, metal intake nozzle, metal crevice tool, CleanStream® HEPA cartridge filter ***(90329, Type NN)***.

CleanStream®, Gore®, and designs are registered trademarks of W.L. Gore & Associates, Inc.

Catalog #	4050010
Capacity	8.0 Gallons (Dry only)
Peak HP	1.25†
UPC	0 26282 40500 5
Carton Dimensions	22" x 16¼" x 17"
Cube	3.5
Shipping Weight	17 lbs.
Cubic Feet per Minute	N/A
Sealed Pressure (inches of water)	N/A
Air Watts	N/A
Electric Rating	120V~ 60Hz 6A
Cord	Extension cord required *(not included)*

**Specifications subject to change without notice.

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡Performance readings listed are done by Shop-Vac® lab method, not ASTM test method.

Shop-Vac Corporation
2323 Reach Road, Williamsport, PA 17701 | Phone: 570-326-3557 | Fax: 570-326-7185 | www.shopvac.com

©2015 Shop-Vac Corporation. All rights reserved.
Shop-Vac®, Hippo® and FlipN'Pour® are registered trademarks of the Shop-Vac Corporation.
CleanStream®, GORE-TEX® and GORE® are registered trademarks of W.L. Gore & Associates.
Ultra-Web® is a registered trademark of Donaldson Company, Inc.
Drain Hero™ is a trademark of Nice Life Inc.

SVA0001153